

## **AMENDMENT TO THE CLAIMS**

- 1. (Withdrawn) An isolated nucleic acid molecule comprising a polynucleotide selected from the group consisting of:
- (a) a polynucleotide encoding amino acids from about 1 to about 583 of SEQ ID NO:2;
- (b) a polynucleotide encoding amino acids from about 2 to about 583 of SEQ ID NO:2;
- (c) a polynucleotide encoding amino acids from about 1 to about 81 of SEQ ID NO:4:
- (d) a polynucleotide encoding amino acids from about 2 to about 81 of SEQ ID NO:4;
  - (e) the polynucleotide complement of the polynucleotide of(a)-(d); and
  - (f) a polynucleotide at least 90% identical to the polynucleotide of (a)-(e).
- 2. (Withdrawn) An isolated nucleic acid molecule consisting of a nucleic acid comprising 50-1752 contiguous nucleotides from the coding region of SEQ ID NO: 1.
- 3. (Withdrawn) The isolated nucleic acid molecule of claim 2, which comprises 100-1500 contiguous nucleotides.
- 4. (Withdrawn) The isolated nucleic acid molecule of claim 3, which comprises 500-1000 contiguous nucleotides.
- 5. (Withdrawn) An isolated nucleic acid molecule comprising a polynucleotide encoding a polypeptide wherein, except for at least one conservative amino acid substitution, said polypeptide has an amino acid sequence selected from the group consisting of:
  - (a) amino acids from about 1 to about 583 of SEQ ID NO:2;

- (b) amino acids from about 2 to about 583 of SEQ ID NO:2;
- (c) amino acids from about 1 to about 81 of SEQ ID NO:4; and
- (d) amino acids from about 2 to about 81 of SEQ ID NO:4.
- 6. (Withdrawn) The isolated nucleic acid molecule of claim 1, which is DNA.
- 7. (Withdrawn) A method of making a recombinant vector comprising inserting a nucleic acid molecule of claim 1 into a vector in operable linkage to a promoter.
  - 8. (Withdrawn) A recombinant vector produced by the method of claim 7.
- 9. (Withdrawn) A method of making a recombinant host cell comprising introducing the recombinant vector of claim 8 into a host cell.
- 10. (Withdrawn) A recombinant host cell produced by the method of claim 9.
- 11. (Withdrawn) A recombinant method of producing a polypeptide, comprising culturing the recombinant host cell of claim 10 under conditions such that said polypeptide is expressed and recovering said polypeptide.
- 12. (Currently Amended) An isolated polypeptide comprising amino acids at least 95% identical to amino acids selected from the group consisting of:
  - (a) amino acids from about 1 to about 583 of SEQ ID NO:2; and
- (b) amino acids from about 2 to about 583 of SEQ ID NO:2, wherein said isolated polypeptide has at least one biological activity of the protein of SEQ ID NO:2.
  - (c) amino acids from about 1 to about 81 of SEQ ID NO:4; and
  - (d) amino acids from about 2 to about 81 of SEQ ID NO:4.

- 13. (Currently Amended) An isolated polypeptide wherein, expect for at least one a conservative amino acid substitution, said polypeptide has an amino acid sequence selected from the group consisting of:
  - (a) amino acids from about 1 to about 583 of SEQ ID NO:2; and
- (b) amino acids from about 2 to about 583 of SEQ ID NO:2, wherein said isolated polypeptide has at least one biological activity of the protein of SEQ ID NO:2.
  - (c) amino acids from about 1 to about 81 of SEQ ID NO:4; and
- (d) amino acids from about 2 to about 81 of SEQ-ID NO:4.
- 14. (Currently Amended) An isolated polypeptide comprising amino acids selected from the group consisting of:
  - (a) amino acids from about 1 to about 583 of SEQ ID NO:2; and
  - (b) amino acids from about 2 to about 583 of SEQ ID NO:2;
  - (c) amino acids from about 1 to about 81 of SEQ-ID NO:4; and
  - (d) amino acids fromabout 2 to about 81 of SEQ ID NO:4.
- 15. (Currently Amended) An epitope-bearing portion of a polypeptide comprising consisting of SEQ ID NO:2.
- 16. (Currently Amended) The epitope-bearing portion of claim 15, which comprises about 5 to about at least 50 contiguous amino acids.
  - 17. Cancelled
- 18. (Withdrawn) An isolated antibody that binds to the polypeptide of claim 12.
- 19. (Withdrawn) An isolated antibody that binds to the polypeptide of claim 13.

- 20. (Withdrawn) An isolated antibody that binds to the polypeptide of claim 14.
- 21. (Currently Amended) A complex comprising a protein comprising an amino acid sequence selected from the group consisting of SEQ ID NO:2-and-SEQ ID NO:4.
- 22. (Currently Amended) A complex comprising a fragment of polypeptide of any of claims 12-14 the amino acid-sequence selected from the group consisting of SEQ ID NO:2, SEQ ID NO:4-and a Dishevelled protein-wherein said fragment is capable of forming a complex with said Dishevelled protein.
- 23. (Currently Amended) A pharmaceutical-composition comprising a therapeutically effective amount of a polypeptide selected from the group consisting of SEQ ID NO:2 and SEQ ID NO:4, and a pharmaceutically effective carrier.
- 24. (Withdrawn) A method of detecting Notch ligand expression in human cancer cells, said method comprising:

obtaining mRNA from said cells; and

contacting said mRNA with a polynucleotide of SEQ ID NO:1 under stringent hybridization conditions, wherein formation of a duplex comprising a polynucleotide of SEQ ID NO:1 indicates expression of Notch ligand wherein said Notch ligand is encoded by a gene comprising SEQ ID NO:1 or its complement.

25. (Withdrawn) A method of detecting Notch ligand expression in human melanoma cells, said method comprising:

obtaining mRNA from said cells; and

contacting said mRNA with a polynucleotide of SEQ ID NO:1 under stringent hybridization conditions, wherein formation of a duplex comprising a polynucleotide of SEQ ID NO:1 indicates expression of Notch ligand wherein said Notch ligand is encoded by a gene comprising SEQ ID NO:1 or its complement.

- 26. (Withdrawn) A method of enhancing angiogenesis in a mammal in need thereof, said method comprising administering the c omposition of claim 23 and at least one growth factor selected from the group consisting of bFGF and VEGF.
- 27. (Withdrawn) The method of claim 26 wherein said mammal exhibits tissue ischemia.